

WorkForce Pro EM-C8101RDWF Yazıcı

VERİ SAYFASI / BROŞÜR



WorkForce Pro EM-C8101RDWF; tek geçişte çift taraflı tarama özelliğine ve 1.900 sayfaya kadar kağıt kapasitesine sahip, yüksek mürekkep verimliliğine sahip 4'ü bir arada bir cihazdır.

WorkForce Pro RIPS iş yazıcılarıyla geleneksel yazıcıların yarattığı sıkıntılara son verin. Değiştirilebilir Mürekkep Paketi Sistemi (RIPS) teknolojisi, son derece yüksek kapasiteli mürekkep besleme torbaları kullanarak kullanıcı müdahalesi ihtiyacını azaltır. Muadili lazer yazıcılara kıyasla daha az sarf malzemesi gerektirmesi sayesinde atık miktarı düşer ve hizmet kesintileri asgari düzeyde tutulur.

Düşük müdahale gereksinimiyle düşük işletme maliyetleri

1.900 sayfaya varan kağıt kapasitesi (3 adet isteğe bağlı 500 yapraklık kaset ile), kağıt doldurma işlemlerine daha az zaman harcanması anlamına gelir. Yüksek mürekkep verimliliği, sarf malzemesi sipariş etme ve değiştirme sıklığını azaltır; ayrıca öngörülebilir baskı maliyetleri ve rekabetçi bir Toplam Sahip Olma Maliyeti (TCO) sunulmasına yardımcı olur. Isı Gerektirmeyen baskı teknolojimiz, mürekkep püskürtme sürecinde ısı kullanmaz; böylece işletmeniz enerji ve zamandan tasarruf ederken, müdahale ihtiyacını da azaltır.

Kesintisiz, yüksek hacimli baskı

Hazır modundan 5,5 saniyelik hızlı İlk Sayfa Çıkış Süresi (FPOT) ve tek geçişli çift taraflı tarama özelliğiyle üretkenliği artırırken, sarf malzemelerini değiştirmeden 86.000 sayfaya (siyah-beyaz) veya 50.000 sayfaya (renkli) kadar baskı yapın. Dakikada 25 sayfa baskı hızı ve dakikada 124 görüntü (ipm) çift taraflı tarama hızı, bu cihazı çok çeşitli sektörler için ideal bir yazıcı haline getirir. Düşük servis ve bakım maliyetleri, onu işletmeler için güvenilir ve cazip bir seçenek kılar.

İşletmenizi destekleyecek çözümler

Epson Print Admin (EPA) ve EPA Serverless, baskı güvenliği gereksinimlerinizi ve Document Capture Solution Suite ile tarama iş akışlarınızı destekler. IP-Fax gibi gömülü çözümlerle uyumluluk ve Epson Remote Services aracılığıyla sağlanan kolay uzaktan arıza tespiti özellikleri, cihazın işlevselliğini daha da artırır. Epson Open Platform sayesinde üçüncü taraf çözümlerle sağlanan uyumlulukla, sektöre özgü ihtiyaçlar da karşılanır.

TEMEL ÖZELLİKLER

- **Yüksek verimlilik, düşük müdahale**
25 ppm baskı hızı, 64/124 ipm çift taraflı tarama hızı ve 5,5 saniyelik hızlı İlk Sayfa Çıkış Süresi (FPOT). 86.000 sayfaya kadar siyah-beyaz mürekkep kapasitesiyle kesintisiz baskı.
- **Verimli ve güvenilir A3 4'ü 1 arada**
Yüksek dayanıklılık; yazdırma, kopyalama, tarama ve faks işlemlerinde minimum müdahale gereksinimi. 12,7 cm'lik renkli dokunmatik ekran, Epson karma cihaz filonuzla sorunsuz bir çalışma deneyimi sağlar.
- **Baskı maliyetlerini düşürün ve giderlerinizi en aza indirin**
Yüksek mürekkep verimliliği, değiştirilmesi gereken daha az parça ve daha az müdahale gereksinimi sayesinde düşük toplam sahip olma maliyeti (TCO).
- **Kağıdı daha seyrek değiştirin; 1.900 sayfaya kadar yüksek kağıt kapasitesi**
400 sayfalık standart kağıt giriş kapasitesi ve isteğe bağlı kaset ve kabin seçenekleriyle ulaşılan maksimum 1.900 sayfalık kapasite sayesinde, kesinti sürelerini minimumda tutun.
- **Epson Solutions Suite - İşletmenizi desteklemeye yönelik yazılım çözümleri paketi**
Çok çeşitli Epson ve üçüncü taraf çözümleriyle uyumludur. Sorunsuz sistem entegrasyonu ve her yerde çalışma özgürlüğü sunar.

EPSON®

Ürün Özellikleri

TECHNOLOGY

Printing Method	PrecisionCore™ Print Head
Nozzle Configuration	800 Nozzles Black, 800 Nozzles per Color
Minimum Droplet Size	5 pl, With Variable-Sized Droplet Technology
Ink Technology	DURABrite™ Pro, Pigment ink, Replaceable Ink Pack System (RIPS)
Category	Office Workgroup, Office Departmental
All-in-One Functions	Print, Scan, Copy, Fax

PRINT

First Page Out	Monochrome5.5 Seconds, Colour5.5 Seconds
Printing Speed ISO/IEC 24734	26 pages/min Monochrome, 25 pages/min Colour
Duplex Printing Speed ISO/IEC 24734	18 A4 Pages/min Monochrome, 17 A4 Pages/min Colour
Printing Speed ISO/IEC 24734 (A3)	13 pages/min Monochrome, 13 pages/min Colour
Duplex Printing Speed ISO/IEC 24734 (A3)	11 A4 Pages/min Monochrome, 11 A4 Pages/min Colour
Maximum Printing Speed	35 pages/min Monochrome (plain paper 75 g/m²), 35 pages/min Colour (plain paper 75 g/m²)
Printing Resolution	4,800 x 1,200 DPI
Printing Volume	75,000 pages per month The maximum number of printed pages per month based on the performance capabilities of the printer, including ISO rated print speeds and paper handling capabilities.
Recommended Duty Cycle	2,000 - 10,000 pages per month
Colours	Black [Pigment], Cyan [Pigment], Yellow [Pigment], Magenta [Pigment]
Print from	PC, MAC, Network, Mobile Device, USB, Mobile Device (WiFi Direct)
For detailed information on printing speeds please visit http://www.epson.eu/testing .	

SCAN

Double-sided scanning	Yes
Scanning Speed	64 ipm (Monochrome, Single-sided, 200 dpi, ADF); 64 ipm (Colour, Single-sided, 200 dpi, ADF); 124 ipm (Monochrome, Double-sided, 200 dpi, ADF); 124 ipm (Colour, Double-sided, 200 dpi, ADF); 22 ipm (Monochrome, Single-sided, 200 dpi, Flatbed); 22 ipm (Colour, Single-sided, 200 dpi, Flatbed);
Optical Resolution	1,200 DPI x 2,400 DPI (Horizontal x Vertical)
Advanced document integration	Scan to Email, Scan to FTP, Scan to Network folders, Scan to USB, Computer (Epson Document Capture Pro), Microsoft SharePoint with Epson Document Capture Pro, USB Memory Device / Card
Output formats	JPEG, TIFF, PDF
Scanner type	Contact image sensor (CIS)
Destinations	Scan to Email, USB (Memory device), AirPrint, Network Folder
Optical Resolution	1,200 DPI x 2,400 DPI (Horizontal x Vertical)

WorkForce Pro EM-C8101RDWF=
Yazıcı

KUTU İÇERİĞİ

- Başlatma Mürekkep Besleme Üniteleri
- Güç kablosu
- Kurulum kılavuzu

FAKS

Faks türü	Doğrudan cihaz üzerinden siyah-beyaz ve renkli faks gönderme/alma özelliği
Faks İletim Hızı	33,6 kbps'ye kadar / Yaklaşık 3 saniye/sayfa
Hata düzeltme modu	Hata Düzeltme Modu özellikli CCITU/ITU Grup 3 faks
Maksimum faks hızlı arama sayısı	2.000 isim ve numara
Sayfa belleği	550 sayfaya kadar / 6 MB (ITU-T No. 1 çizelgesi)
Faks İşlevleri	PC'den Faks, E-postaya Faks, Belleğe Alma, Otomatik Tekrar Arama, Hızlı Arama, Klasöre Faks, Adres Kitap

EPSON®

Ürün Özellikleri

WorkForce Pro EM-C8101RDWF Printer

COPY	
Copy Speed	Up to 22 ipm Black, Up to 21 ipm Colour *Simplex ADF 600 x 600 dpi (ISO/ IEC 24735)
Copy resolution (dpi)	600 x 1200
Reduction / Enlargement	25 % - 400 % Auto fit function
Maximum number of copies	999
Maximum Copy Size	A3
CONNECTIVITY	
Network Printing Protocols	LPR, IPP, Port 9100, WSD, IPPS, Bonjour/Airprint, SMB 1.0, SMB 2.0, SMB 3.0
Network Management Protocols	SNMP, HTTP, DHCP, BOOTP, APIPA, DDNS, mDNS, SNT, SLP, WSD, LLTD, Ping, IEEE 802.1X, SNMP 2.0c, SNMP 3.0, SNMP Trap
Network Protocol	HTTPS, IPv4, IPv6, SNMP
Network Scanning Protocols	NetBIOS over TCP/IP, WSD-Scan, Bonjour/Airprint, FTP, SMB 1.0, SMB 2.0, SMB 3.0
Interfaces	USB 2.0-A (2x), Hi-Speed USB - compatible with USB 2.0 specification, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T), Wi-Fi Direct, USB host, Wireless LAN IEEE 802.11a/b/g/n/ac, USB 3.0
WLAN Security	WEP 64 Bit, WEP 128 Bit, WPA PSK (TKIP), WPA PSK (AES), WPA2 Enterprise, WPA2 PSK (AES), WPA2 Enterprise (AES), WPA3-SAE(AES)
Network Protocol	TCP/IPv4, TCP/IPv6, TCP, UDP, HTTP, HTTPS, IPv4, IPv6, IPSEC, SSL/TLS
PAPER / MEDIA HANDLING	
Paper Formats	A4 (21.0x29.7 cm), A5 (14.8x21.0 cm), A6 (10.5x14.8 cm), B5, B6, C4 (Envelope), C6 (Envelope), DL (Envelope), A3+, 10 x 15 cm, 13 x 18 cm, 13 x 20 cm, 16:9, No. 10 (Envelope), Letter, Legal, Executive, A3 (29.7x42.0 cm), 9 x 13 cm
Automatic Document Feed	150 pages
Compatible Paper Weight	64 - 300g/m ²
Duplex	Yes
Standard Paper input	400 Sheets Standard, 150 Sheets MP tray, 250 Sheets paper tray
Output Tray Capacity	250 Sheets
Paper Tray Capacity	250 Sheets Standard, 1,900 Sheets Maximum
Standard paper tray(s)	250-sheet paper tray
Optional paper tray(s)	3 x 500 sheet paper tray, Cabinet
Maximum paper input	1,900
Rear paper path (special media)	Yes
PAPER FEED MPT	
Paper Input Name	MPT
Paper Formats	A3+, A3, A4, A5, A6, B4, B5, B6, C4 (Envelope), C5 (Envelope), C6 (Envelope), DL (Envelope), Letter, 10 x 15 cm, 13 x 18 cm, 16:9, HLT, User defined, Legal, Executive, Tabloid
Custom sizes	Min 55 x 330 mm to Max 127 x 1,200 mm
Compatible paper weight	64 g/m ² - 300 g/m ²
Paper Capacity 1	85 Sheets of Plain Paper, Postcards, Glossy paper, Envelopes, 80gsm
Media type	Plain Paper, Recycled Paper, Colour Paper, Letterhead, Glossy Photo Paper
PAPER FEED C1	
Paper Input Name	C1
Paper Formats	A4, A5, A6, B4, B5, B6, Letter
Compatible paper weight	64 g/m ² - 200 g/m ²
Paper Capacity 1	250 80gsm
Media type	Plain Paper, Recycled Paper, Colour Paper, Letterhead
PAPER FEED C2-C4	
Paper Input Name	C2-C4
Paper Formats	A3, A4, A5, A6, B4, B5, B6, Letter, HLT, Legal, Executive
Compatible paper weight	64 g/m ² - 200 g/m ²
Paper Capacity 1	500 80gsm
Media type	Plain Paper, Recycled Paper, Colour Paper, Letterhead
PAPER FEED DUPLEX	
Paper Input Name	Duplex
Paper Formats	A3, A4, A5, B4, B5, B6, Letter, Legal, Executive, Tabloid
Compatible paper weight	64 g/m ² - 90 g/m ²

Ürün Özellikleri

WorkForce Pro EM-C8101RDWF Printer

GENERAL	
Energy Use	60 Watt (standalone copying, ISO/IEC 24712 pattern), 0.9 Watt (sleep mode), 32 Watt (Ready), 0.1 Watt (Power off), TEC 0.24 kWh/week
Supply Voltage	AC 100 V - 240 V, 50 Hz - 60 Hz
Product dimensions	621 x 751 x 711 mm (Width x Depth x Height)
Product weight	76.8 kg
Compatible Operating Systems	Citrix XenApp 7.x, Linux, Mac OS 10.10.x, Mac OS 10.14. x, Mac OS 10.15. x, Mac OS 11. x, Mac OS 12. x, Mac OS X 10.11.x, Mac OS X 10.12.x, Mac OS X 10.13.x, Mac OS X 10.9.5 or later, Windows 10 (32/64 bit), Windows 11, Windows 7 (32/64 bit), Windows 8 (32/64 bit), Windows 8.1 (32/64 bit), Windows Server 2003 (32/64bit), Windows Server 2003 R2 x64, Windows Server 2003 SP2, Windows Server 2008 (32/64bit), Windows Server 2008 R2, Windows Server 2012 (64bit), Windows Server 2012 R2, Windows Server 2016, Windows Server 2019, Windows Server 2022, Windows Vista (32/64 bit), Windows XP Professional x64 Edition SP2 or later, Windows XP SP3 or later (32-bit)
Included Software	Epson Scan 2, Epson Status Monitor
Sound Power	Operation:6.8 B (A)
Noise	Operation:53 dB (A)
Mobile and Cloud printing services	Epson Connect (iPrint, Email Print, Remote Print Driver, Scan-to-Cloud), Apple AirPrint, Mopria, Epson Smart Panel App
Power supply	220V, 240V

ADDITIONAL FEATURES	
Memory	4,233 MB
Features	Touchscreen, Direct Print, Direct print from USB
Panel	Type: Color, Touchscreen, Diagonal:12.7 cm
Media Handling	Automatic duplex (A4/A3, plain paper), Portrait & Landscape printing, Rear specialty media feed, Thick Media Support
Security Functions	Limit access function with Epson Web Config, Secure confidential printing with PIN code release, LDAP Address Book, IPsec, IEEE802.1x, SSL (Server authentication), Panel Admin Mode
HDD	Encrypted, 320GB

PRODUCT SAFETY	
Product Safety Warnings	Contains 2,4,7,9-tetramethyldec-5-yne-4,7-diol. May produce an allergic reaction. Contains 2-methylisothiazol-3(2H)-one. May produce an allergic reaction. Always follow the information on the product label.

OTHER FEATURES	
Emulations	PCL5c, PCL5e, PCL6, PostScript 3, PDF 1.7, ESC/P-R
Security	TLS, TLS V1.1, TLS V1.2, TLS V1.3, SSL, SNMP, SNMP V3, IPsec, FTP, IPv6, HTTPs, WPA2, WPA3, PIN code Release, LDAP, IEEE802, SSL/TLS, Panel Admin Mode

TEDARİK

● WorkForce Pro EM-C8101R Black XXL Ink	C13T13M140	86,000 pages
● WorkForce Pro EM-C8101R Cyan XXL Ink	C13T13M240	50,000 pages
● WorkForce Pro EM-C8101R Magenta XXL Ink	C13T13M340	50,000 pages
● WorkForce Pro EM-C8101R Yellow XXL Ink	C13T13M440	50,000 pages
● WorkForce Pro EM-C810xR Black XL Ink	C13T13L140	20,000 pages
● WorkForce Pro EM-C810xR Cyan XL Ink	C13T13L240	20,000 pages
● WorkForce Pro EM-C810xR Yellow XL Ink	C13T13L440	20,000 pages
● WorkForce Pro EM-C810xR Magenta XL Ink	C13T13L340	20,000 pages
● Optional Cassette Maintenance Roller	C13S210049	200,000 pages
● Standard Cassette Maintenance Roller	C13S210048	200,000 pages
● Maintenance box	C13T671400	72,800 pages

İSTEĞE BAĞLI AKSESUARLAR

- Authentication Device Table-P2
C12C939531
- Super G3/G3 Fax Board
C12C934491

LOJİSTİK BİLGİLERİ

SKU	C11CL32401BY
EAN code	8715946733340
Country of Origin	Indonesia
Layer	1 Units
Layer Block	1 Units

WorkForce Pro EM-C8101RDWF Printer

MÜREKKEP VERİMİ VERİLERİ



●	20,000 pages*	86,000 pages*
● ● ●	20,000 pages*	50,000 pages*

* ISO/IEC 24711/24712 veya ISO/IEC 29102/29103 standartlarına dayalı yaklaşık sayfa verimi. Gerçek verim, yazdırılan görüntülere ve kullanım koşullarına bağlı olarak değişiklik gösterecektir.

Daha fazla bilgi için <http://www.epson.eu/pageyield> adresini ziyaret edin.

For more information please contact:

Home users: 0343 90 37766
Business users*: 0871 42 37766
Republic of Ireland: 01 436 7742
Or visit us at <https://www.epson.co.uk/contactus>
* 10p per minute plus network extras.

Web: www.epson.co.uk
www.epson.ie

Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners.
Product information is subject to change without prior notice.
Last extracted: 2025-06-16

1. Time between receiving print data, to the complete exit of the first page. For detailed information on printing speeds please visit epson.co.uk
- 2.
3. Please visit epson.co.uk/heat-free-technology for more information.
- 4.
5. Approx. page yield. Actual yield will vary depending on images printed and usage conditions. For more information visit epson.eu/pageyield
- 6.
7. The productivity has been determined in accordance with ISO 24734, using default settings. The average of ESAT from the office category test. The full detailed report can be obtained from your local Epson sales office.
- 8.
9. This explanation is only applicable for MicroPiezo fundamental advantage in principle. Product performance may vary.

EPSON®